

Abrupt boundaries of intermediate phases and space filling in oxide glasses

This article has been downloaded from IOPscience. Please scroll down to see the full text article.

2008 J. Phys.: Condens. Matter 20 202101

(<http://iopscience.iop.org/0953-8984/20/20/202101>)

View [the table of contents for this issue](#), or go to the [journal homepage](#) for more

Download details:

IP Address: 129.252.86.83

The article was downloaded on 29/05/2010 at 12:02

Please note that [terms and conditions apply](#).

FAST TRACK COMMUNICATION

Abrupt boundaries of intermediate phases and space filling in oxide glasses

K Rompicharla¹, D I Novita¹, P Chen¹, P Boolchand¹,
M Micoulaut² and W Huff³

¹ Department of Electrical and Computer Engineering, University of Cincinnati, Cincinnati, OH 45221-0030, USA

² Laboratoire de Physique Théorique de la Matière Condensée, Université Pierre et Marie Curie, Boite 121, 4, Place Jussieu, 75252 Paris, Cedex05, France

³ Department of Geology, University of Cincinnati, Cincinnati, OH 45221-0013, USA

Received 7 January 2008, in final form 20 March 2008

Published 15 April 2008

Online at stacks.iop.org/JPhysCM/20/202101

Abstract

Modulated differential scanning calorimetry measurements on bulk $(\text{Na}_2\text{O})_x(\text{GeO}_2)_{1-x}$ glasses show a sharp reversibility window in the $14\% < x < 19\%$ soda range, which correlates well with a broad global minimum in molar volumes. Raman and IR reflectance transverse- and longitudinal-optic mode frequencies exhibit anomalies between $x_c(1) = 14\%$ (*stress* transition) and $x_c(2) = 19\%$ (*rigidity* transition), with optical elasticity power laws confirming the nature of the transitions. Birefringence measurements dramatize the macroscopically stress-free nature of the intermediate phase in the reversibility window.

(Some figures in this article are in colour only in the electronic version)

Reversibility windows (RWs) in covalent network glasses open new avenues to understanding the structural organization and functionality of disordered matter. Glass transitions become thermally reversing and the glass forming tendency is optimized in RWs. In experiments on chalcogenide alloys [1–3] changes in glass composition alter network connectivity. Experiments [1–3] supported by numerical simulations [4, 5] have shown that the sharp edges of RWs define distinctive regimes of elastic behavior. Glasses in RWs form *rigid but stress-free* networks, those below the low-connectivity edge of RWs form elastically *flexible* networks, while those above the high-connectivity end of RWs form *stressed-rigid* networks. Glasses in RWs, also known as *intermediate phases* (IPs), have attracted much attention in recent years because they are functionally quite different from their *flexible* or *stressed-rigid* counterparts. They form space-filling networks which do not age much [1–3], and are reviewed in terms of multi-scale self-organization [6] of disordered systems. A number of network systems display these characteristics of self-organization; for example computational phase transitions [7], thin-film gate dielectrics [8], high temperature superconductors [9], H-bonded alcohols and saccharides [10], and protein folding [11].

Is the self-organized state of disordered systems also found in ionic glasses with non-bridging oxygens as well? Alkali germanates are prototypical oxide glasses, with physical properties varying anomalously with alkali oxide content [12–14]. Here we observe a sharp RW in $(\text{Na}_2\text{O})_x(\text{GeO}_2)_{1-x}$ glasses and show that the thermal result supported by IR reflectance and Raman scattering represents the IP. Birefringence measurements directly reveal the stress-free nature of the IP.

The mean valence number, r , is a faithful measure [15] of network connectivity in glasses that are fully polymerized. In covalent systems, r is easily estimated because the valence of atoms is *locally* satisfied, leading to well defined coordination numbers [1–3]. In oxide glasses, chemical bonding has an ionic component ($\text{Na}^+-\text{O}^{\text{nb}}$) in addition to a covalent one ($\text{Si}-\text{O}^{\text{b}}$), and the valence of ions is satisfied only on an *extended scale* [16], making the connection between r and network connectivity more challenging. Here O^{b} and O^{nb} designate bridging and non-bridging oxygen atoms, respectively. Force fields between atoms form a hierarchy from strong nearest-neighbor forces to intermediate next-nearest-neighbor forces to weak long-range Coulombic forces. Strong forces usually serve as mechanical constraints in stabilizing




Figure 1. Compositional trends in (a) $T_g(x)$, (b) $\Delta H_{nr}(x)$ and (c) $\Delta C_p(x)$ from m-DSC. Also included in (a) are T_g^η from [18], and the Ge mean coordination number, r_{Ge} , from modeling and in (b) trends in Q^3 , Q^4 and Q^V species from modeling (c) molar volumes of glasses from density measurements on present samples.

a glass network [15], while weak ones usually promote only space-filling (network compaction). Coulombic forces serve to polarize a glass medium, and one observes [17] both longitudinal- (LO) and transverse-optic (TO) vibrational modes, which resonate at peaks of the energy loss function $\text{Im}(-1/\epsilon)$ (LO mode) and the imaginary part of the complex dielectric function (ϵ_2) (TO mode). Softening of a glass network upon either increasing its temperature or lowering its connectivity by chemical alloying can be elegantly probed by measuring these vibrational frequencies. We have deduced elastic thresholds and elastic power laws in different compositional regimes of the present oxide glass system for LO and TO modes.

Fine powders of 99.995% Na_2CO_3 and 99.999% GeO_2 were weighed and intimately mixed in a nitrogen gas purged glove bag (relative humidity 5%) using a Pt crucible. Mixtures were transferred to a muffle furnace held at 125 °C. The furnace temperature was then increased to the 1350–1400 °C




Figure 2. IR based TO and LO response of glasses shown respectively in (a) $\epsilon_2(\nu)$ and (b) of $-\text{Im}(1/\epsilon(\nu))$ at various glass compositions x indicated on the right in %.

range and held there for 4 h, and the melts were then poured onto steel plates to yield bulk glasses. Glass transitions were studied [1–3] using a TA Instrument model 2920 modulated differential scanning calorimeter (DSC) operated at a scan rate of 3 °C min^{-1} and a modulation rate of 1 °C/100 s. Compositional trends in glass transition temperatures $T_g(x)$, non-reversing enthalpy $\Delta H_{nr}(x)$, and the specific heat jump $\Delta C_p(x)$ near T_g appear in figure 1. Densities of glasses were measured using Archimedes’ principle, and resulting molar volumes (V_m) show (figure 1(c)) a broad global minimum [13, 14] near 18% (the germanate anomaly). Trends in $T_g(x)$ correlate well with a softening temperature of glasses when their viscosity [18] reaches 10^{11} Poise and not 10^{13} Poise, suggesting that the samples used in [18] probably have impurities. We observe (figure 1(b)) a deep RW with abrupt edges in $\Delta H_{nr}(x)$ for $14\% < x < 19\%$. $\Delta C_p(x)$ increases monotonically with x , but flattens in the RW to display a plateau.

Raman scattering was excited using 514 nm light and the backscattered radiation analyzed using a model 64000 Horiba Jobin–Yvon dispersive Raman system [1–3]. By deconvoluting the line shapes of the alloyed glasses we tracked the shift in LO mode frequency with glass composition x . A Thermo-Nicolet FTIR model 900 with a Seagull accessory recorded specular reflectance over a wide range, 400 to 3600 cm^{-1} (figure 2). By Kramers–Kronig transformation we obtained the LO ($-\text{Im}(1/\epsilon)$) and TO (ϵ_2) response. In both IR and Raman scattering the LO mode red-shifts with increasing




Figure 3. (a) Changes in Raman and IR active LO mode frequencies observed as functions of glass composition x . (b) Changes in IR active TO mode frequency, ν_{TO} (IR), showing a mesa-like stiffening in the IP.

x (figure 3(a)), displaying thresholds near $x_c(1) = 14\%$ and $x_c(2) = 19\%$, defining three clear *regimes* of elastic behavior, for $x < 14\%$ (I), in the RW (II), and for $x > 19\%$ (III). The Raman elastic power laws in regions I and II were deduced from

$$\nu^2 - \nu_c(1)^2 = A(x - x_c(1))^p \quad (1)$$

where $\nu_c(1)$ represents the frequency at the threshold composition $x = x_c(1)$. The Raman LO mode frequency (ν_{LO} (Raman)) results place the power law p in region I at $p_1 = 1.68(5)$, and in region II at $p_2 = 0.90(5)$. In figure 3, the mode frequency ν_{LO} (IR) decreases in region I, but plateaus in region II. Mode frequency ν_{TO} (IR) decreases in region I, but jumps discontinuously near the first threshold, $x_c(1) = 14\%$, to plateau in region II, and then decreases abruptly again near the second threshold $x_c(2) = 19\%$ to continue decreasing in region III along the extrapolation of region I.

Our interpretation of the results is as follows: the calorimetric RW (region II) in the present oxide glasses, as in chalcogenide glasses [1–3], also represents the IP. That view is independently confirmed by Raman optical elasticity power laws as discussed next. In region I, $p_1 = 1.68(5)$, the same as found in sodium silicate glasses [19], compared to a value of 1.50 predicted by numerical simulations on depleted amorphous Si networks [20] for the stressed-rigid elastic phase. Region I, thus represents the stressed-rigid elastic phase of the present glasses. In region II, the Raman scattering derived LO mode power law p_2 compares well




Figure 4. Birefringence with an Olympus CX31 polarizing microscope. Black spots represent bonded water decorated regions of frozen-in stress in glass samples. Note the absence of spots for the two IP compositions (16% and 17%), but their growth with increasing density both below (13% and 10%) and above (20% and 25%) as one goes away from the IP.

with exponents of IPs measured [1–3] in chalcogenide glasses ($p_2 \sim 1$), confirming this region to be the IP.

The nearly stress-free nature of the IP is manifested in birefringence measurements using a polarizing microscope. Optically polished platelets of about 1 mm thickness were examined with a parallel polarizer and analyzer set-up. Figure 4 reproduces micrographs of six sample compositions, two of which are below (10%, 13%), two in (16%, 17%), and two above (20%, 25%) the IP compositions. Black spots of about 50 μm in size are present in sample compositions outside the IP, but *not* in the IP. Furthermore, spot densities increase as one goes away from the IP compositions both below (13% \rightarrow 10%) and above (20% \rightarrow 25%). 3D images of the birefringence data shown in figure 4 appear in figure 5. The black spots now show up as peaks. Glasses are generally optically isotropic and can be expected to display no birefringence unless stress is frozen-in and renders a region optically anisotropic or birefringent. Our glass samples contain traces of *bonded* water as revealed by a band near 2.3 μm in mid-IR, and we believe the birefringent spots come from traces of *bonded* water that decorate macroscopic regions of frozen-in stress in the glasses. In samples synthesized by handling precursors in a glove box (relative humidity less than 0.2%) bonded water content reduces substantially, and we were unable to observe birefringence in any of the elastic phases, suggesting that the intrinsic size of stressed regions is less than our resolution limit of 1 μm .

The present results suggest that additions of small amounts ($\sim 2\%$) of soda leads to the creation of non-bridging oxygen atoms, and to the production of Q³ species from the Q⁴ ones




Figure 5. 3D images of the birefringence data shown in figure 4. Black spots where stress is frozen now show peaks. A more subtle feature is the background stress (away from peaks) which is lower for the samples (16%, 17%) in the reversibility window than for those outside the window.

present in the base glass. Here Q^n (NMR notation) represents a Ge having ‘ n ’ bridging oxygen nearest neighbors. The sharp drop in T_g over the narrow interval $0\% < x < 2\%$ (figure 1(a)) agrees with the slope, $dT_g/dx = -30^\circ\text{C/at.}\%$, of soda predicted by stochastic agglomeration theory [21]. With increasing soda content, five-fold coordinated Ge sites emerge [22] and increase the connectivity of the backbone as reflected in the increase of T_g leading to a global maximum near $x \sim 18\%$. We have modeled [23] the network structure by a speciation reaction [24] between a Q^4 , a Q^3 and a five-fold Ge species (Ge^{VI}) with respective probabilities p_4 , p_3 and p_5 . One is then able to define the mean Ge coordination number, $r_{\text{Ge}} = 4p_4 + 3p_3 + 5p_5$, and since T_g correlates with network connectivity, we fix the reaction constant by requiring a maximum in r_{Ge} to coincide with that in T_g (figure 1(a)). The model then predicts that: (i) T_g s will decrease at $x > 18\%$ as

Q^3 species proliferate and (ii) the mean-field rigidity transition will occur near $x = 23\%$. Both predictions are in reasonable agreement with the data (figure 1). The broad global minimum in molar volumes near $x \sim 18\%$, identified with the germanate anomaly, has been attributed by some [13, 14, 22] to an aspect of local structure, i.e. an increase in the Ge coordination number. On the other hand, Henderson [13] has suggested that the anomaly comes from the growth of small $(\text{GeO})_n$ rings, $n = 3$ - and 4-membered, at the expense of larger ones, a feature of medium range structure. In Raman scattering one indeed observes the $n = 3$ - and 4-ring fraction to increase as $x \sim 20\%$. The germanate anomaly is better understood as a *direct consequence of the multi-scale structural self-reorganization of the glasses leading to an IP* (figure 1) in which local, intermediate, and extended range structures are implied to fill the available space compactly.

Another striking feature of our data is anomalies in the IR response of LO ($\nu_{\text{LO}}(\text{IR})$) and TO ($\nu_{\text{TO}}(\text{IR})$) mode frequencies shown in figure 3. Theoretical models of the IP suggest [4, 7] that its structure is dominated by the formation of non-crossing filamentary arrays with increasing r (decreasing x). Here $r = (8 - 6x)/3$ if the bond-bending constraint centered about Na^+ ions is intrinsically broken. The rapid increase of $\nu_{\text{LO}}(\text{IR})$ with r in region I most likely reflects network stiffening due to increased cross-linking. The plateau of $\nu_{\text{LO}}(\text{IR})$ in region II reflects the (exponential) dominance of individual filamentary infrared coherence factors over linear filling factors. The jump in $\nu_{\text{TO}}(\text{IR})$ in region II (figure 3(b)) reflects increased transverse stiffness of filamentary bundles achievable in the absence of fluctuating longitudinal internal network stresses. Overall the boundaries of the wide RW here in an oxide glass appear to be sharper than for similarly wide RWs in chalcogenide glasses, where sharp boundaries were observed only in the narrow RW of a (Ge, Se, I) alloy [25] with I network ends. A small concentration of Na and H network ends could facilitate both boundary sharpening and chain bundling.

In summary, we have provided evidence for the existence of an IP in sodium germanate glasses, and have used birefringence measurements to confirm its nearly stress-free nature. The space-filling property of the IP explains the global minimum in molar volumes and suggests an elastic origin for the germanate anomaly. New IP related anomalies are observed in LO and TO vibrational modes, and these may assist in narrowing possible interpretations of that phase.

It is a pleasure to acknowledge discussions with Professor J C Philips and Dr Sergey Mamedov during this work. This

work is supported by NSF grant DMR 04-56472. LPTMC (Laboratoire de Physique Théorique de la Matière Condensée) is Unité Mixte de Recherche du CNRS no. 7600.

References

- [1] Selvanathan D, Bresser W J and Boolchand P 2000 *Phys. Rev. B* **61** 15061
- [2] Chakravarty S *et al* 2005 *J. Phys.: Condens. Matter* **17** L1
- [3] Qu T *et al* 2003 *Mater. Res. Soc. Symp. Proc.* **754** 111
- [4] Thorpe M F *et al* 2000 *J. Non-Cryst. Solids* **266** 859
- [5] Brière M A, Chubynsky M V and Mousseau N 2007 *Phys. Rev. E* **75** 056108
- [6] Boolchand P *et al* 2005 *Phil. Mag.* **85** 3823
- [7] Barre J *et al* 2005 *Phys. Rev. Lett.* **94** 208701
- [8] Lucovsky G *et al* 2007 *J. Non-Cryst. Solids* **353** 1713
- [9] Phillips J C 2002 *Phys. Rev. Lett.* **88** 216401
- [10] Phillips J C 2006 *Phys. Rev. B* **73** 024210
- [11] Rader A J *et al* 2002 *Proc. Natl Acad. Sci.* **99** 3540
- [12] Kamitsos E I *et al* 1996 *J. Phys. Chem.* **100** 11755
- [13] Henderson G S 2007 *J. Non-Cryst. Solids* **353** 1695
- [14] Kiczanski T J *et al* 2000 *J. Non-Cryst. Solids* **272** 57
- [15] Phillips J C 1979 *J. Non-Cryst. Solids* **34** 153
- [16] Adams S and Swenson J 2000 *Phys. Rev. Lett.* **84** 4144
- [17] Galeener F L and Lucovsky G 1976 *Phys. Rev. Lett.* **37** 1474
- [18] Shelby J E 1974 *J. Am. Ceram. Soc.* **57** 436
- [19] Vaills Y *et al* 2005 *J. Phys.: Condens. Matter* **17** 4889
- [20] He H and Thorpe M F 1985 *Phys. Rev. Lett.* **54** 2107
- [21] Micoulaut M 1998 *Eur. Phys. J. B* **1** 277
- [22] Hannon A C *et al* 2007 *J. Non-Cryst. Solids* **353** 1688
- [23] Micoulaut M 2006 *Phys. Rev. B* **74** 184208
- [24] Du L S and Stebbins J F 2006 *J. Phys. Chem. B* **110** 12427
- [25] Wang F *et al* 2007 *J. Phys.: Condens. Matter* **19** 226201