Mr. Edmund Hally's Observations, concerning the same Occultation of Mars by the Moon, made at Oxford, Anno 1676. Aug. 21. P.M.

Temp.Cor	r.
h -	
11.43.30	THe center of Mars from the Nearest limb of
100	1 the Moon, $$
11.49. 2	Again, $$ 571=10. 3
11.54.58	Again, — $-$ 409 = 7.12
12. 3.25	The center of Mars from the North Cusp of D, 1118=19.41
12.10.28	The gibbous part of Mars touched the Moons limb.
12.10.42	Mars was wholly covered, being distant from
	the Cusp, — 963 = 17.14
12.40.00	At this time a Halo encompassed the Moon, in whose Cir-
	cumference was Saturn, the Pleiades, Capella, and the fol-
	lowing of the foot of Perfeus.
12.10.41	Mars did emerge, I suppose, bis Center.
12.12.45	Mars was distant from the Northern born of D, 1018=17.55
12.21.10	Mars passed over a point noted in the Telescope.
12.22.15	The Southern limb of Atna passed by the same point.
12 24 00	The lucid limb paffed over the same point.
13.54.00	The Moons diam.observed, 1698=30'.1". alt. D 31°. circ.
13')2'3)	Mars from the Northern born of the Moon, 2042=36. 5
*5.)/.)*	Mars from the Southern horn of the Moon. 2266=40. 3
14. 2.53	telais from the Bonthermon of the littoric 2200 =400 5

Having carefully confidered the Moons Parallaxes in the observations of this Occultation at Dantzick and Greenwich, I find from the Immersion the difference of Meridians between Greenwich and Oxford 4.57"; between Greenwich and Dantzick 1. 14.50": By the Emersion the first of those differences is sound 4.59", the latter 1.14.41": which near agreement shews the Exactness of all the Observations.

Two Letters written by Mr. John Beaumont Junior of Stony-Easton in Somerset-shire, concerning Rock-Plants and their growth. SIR, The First Letter of April 7. 1676.

SIR, The First Letter of April 7. 1676.

Lately perused the greatest part of the Philosophical Transactions; in which I received so great a satisfaction, that I resolved to gratisfe your generous Communications (if I may call it a gratuity) with some of the newest occurrents I have met with in Nature, which, if as kindly accepted, as freely sent you, I shall readity do the like for the sucure as far as my ability and observations will help me out.

What

What I here present you, is concerning Mineral substances; for, having liv'd some years on Mendip-hills in Somerset shire, and residing at present but a mile on the North-side of them, I have had an opportunity to make some Observations in Mines. I find in several of the Transactions a mention made of Minerals, but what I shall here insist on, relates chiefly to what I find N.100.p.6181; where is a description of certain Stones sigur'd like Plants, and by some observing men(as you say) esteem'd to be Plants petrissed, communicated by Mr. Lister; whose descriptions I shall consist and inlarge according to my Observations here; being very joyful, that so good a hand has sore-stall'd a good part of that little news which I might otherwise have sent you concerning these Mineral productions.

r. All the Trochita and Entrochi described with their figures by Mr. Lister, are found on those Hills; I having had the several species by me these many years, except that figur'd like a fruit. And as to the length of the Entrochi, the thinness and thickness of their joynts, the smoothness of some in their cutward circle, the ridges and knots of others, the branches, the degrees of greatness and smallness of the Trochita and the like, my observations generally concur with his; and so concerning their accidental Injuries. I have that species of Entrochi, which is tapering at both ends, and swells in the middle; and I find even the joynts of some are of that make; so that an Entrochos shews like a parcel of little barrels, set one on the other. I have likewise his Summitates or fastigia, being long and slender pieces with a little button on the top; but more of these in their due place.

2. As to their Hollows, I find them of all bignesses, from a central point to the taking up of more than a third part of the Stone; some of the Entrochi are so hollow, that there is only a thin shell lest, sincoth within and without: Others have only a thin shell lest, but with screws within and without; and sometimes both these are one entire piece with seeming sutures. The hollows are generally round according to Mr. Lister's description; though I have also many single joynts and Entrochi, whose hollows are like a cinquesoil; and though this bore be most surprizing (as he says) yet, methinks, its most natural to the radix, which has sive hollow stirts or feet issuing side ways from it according to the sigure: And I find in some pieces of radix's,

which I have by me, that a little furrow passes inwardly from each foot to the top of the stone, with a ridge on the outside of it. Besides these I have a new species of Trochites and Entrochi, which has six inlets in the hollow, as the latter has but sive; but with this difference, that these Inlets terminate in Angles, so that its a sexangular hollow, whereas the cinquesoil-inlets are round as the leaf is, and not pointed, though I have seen even of these with sharp angles.

3. Concerning the Rays, or ridges, and furrows; the joynts and sockets by which the Entrochi are joyn'd together, I find a great variety in them; for, as several rays, shooting from a cencer, must of necessity leave considerable widenesses betwixt them, as they rafs towards the circumference, according to the bigness thereof; so, to fill up those widenesses, I find, that in tome, betwixt two rays, iffuing from the center, a third ray rifes about half way on the stone from the center, and shoots to the circumference; some have their rays gently widening from the center to the circumference: Some have a trunk rifing from the cente, which grows forked towards the circumference: fometimes betwixt those forks there rises a little ray near the trunk where the forks joyn, which shoots to the circumference; Obut note, that these differences are scarce discernable where the rays are fine, but with the help of a Glass;) some again are ramous, having a trunk rifing from the center, with three, four, or five branches shooting to the circumference: Some are smooth half way on the stone from the centre, and have a circle of small rays near the circumference: Some are smooth without any rays; these are commonly pretty thick, and are joyned in an Entrochos after this manner: one Trochite a little within the outward circle in the upper and lower parts where the rays use to be, has round inlets or fockets, pretty deep, fo that only a thin Tympanum hinders, but the Trochite would be hollow at this wideness all through; and in the middle of this Tympanum there is a hole, as in other Trockites, which is sometimes round, some times like a cinquefoil: The Trochites, that answer this, on both sides have smooth joynts (I cannot properly call them ferens, having noridges) which enter into these sockets; those joynts being hollow also, and so other Trockites with sockets come on upon those again to make up the Entrochos. Some of these have both sockets and rays; some have a socket on the

one fide, and rays on the other without a focket; fome are ail smooth, only a small ridge runs round them a little within the outward circle, which enters into a small furrow answering to it; some are all smooth, and joyn'd only per harmoniam, as Mr. Lister calls it; some Trochites hold of an equal thickness of substance from the center to the circumference; some are pretty thick in the circumference, and grow thinner towards the center; so that they have concavities on both sides, to which convexities in other Trochites answer: Some hold of an equal thickness half way on the stone from the outward circle, and then grow concave to the center. Mr. Lifter mentions one Trochite he found of an oval figure, the rays scarce apparent, and a very small point in the place of the pith: I have of this species with Entrochi of the same (if these, having lost the figure, may retain the name of reix 9;) some of these have good large holes in the middle, like other Trochites; but their bore is oval according to the stone. I have many other Trochites of this kind. but with this difference, that these have no rays, but are joyn'd together only by one ridge which passes directly along the middle of the stone the long way, there being a furrow in the other answering to it; these have also a small peck in the middle making but very little impression in the stone, and seldom passing through it, though I have of this fort with indifferent holes as the other Troshites, but such are commonly pointed at the ends, and not carried out with an oval round as the others. There are some single joynts which are shap'd with a double oval, that is, the oval in the upper part of them stands clean contrary to the oval in their lower part: In some again the ovals do not stand so extreamly opposite to each other, but only the oval in the upper part of the Trochite seems a little wrested from the direct line of the oval in the lower part, so that they stand bend-ways to each other, like a St. Andrews Croß; and there are Entrochi made up after this manner; and I find most of the oval Entrochi grow crooked and twisting. There are of these oval kinds of all degrees of thickness and thinness in their joynts, as are found in the round ones, and so for the bigness of their circumference, their smoothness in their outward circle, and their roughness with ridges, knots and branches, the length of the Entrochi, their Injuries,&c.

4.I come now to the Radix's, of which I have one as perfect

5 C

as most that are to be got, and several broken pieces of others. That which is perfect, is about the bigness of a Wallout, answering to Mr. Lifters, but without any impression of a Trochite on it; the top of it indeed is a little flat with a hole in it, but it is withal very smooth, without the least sign of a ray. Agricola compares these stones to a Wheel; and truly the body of it well resembles the Nave of a Cart or Coach, the shape of it being conical towards one end till you come just to the top, where it is a little flat (as I faid) with a hole in it; and it has another hole in the middle of the broad end just opposite to this, very fit for an Axis to pass through; and the five hollow stires or feet, issuing fide-ways at equal distances from the broad bottom, somewhat resemble Spokes; the said stirts standing about half an inch our from the body of the stone, so that it may not very improperly be call'd Modiolus auinque-radiatus; and at the ends of the stirts. where the hollows should shew themselves, there grows after a very artificial manner a pretty large feam of the same stone just over the middle of the hollow, from the upper part of the frirt to the lower part of it, parting the hollow in the middle, and covering about a third part of it; not that this seam enters farther into the hollow than the mouth of it; fo that the hollow of each stirt presents it self with two eyes: Hence it appears. that those stirts or feet were never longer than they are, and that no stone ever grew to them; and I think it hard to get one of these stones so perfect as that I have, it being very difficult for a Miner to fave these fore-seams, they being very obnoxious to the least injury. Mr. Lister says, the feet were like Crescents at the end, whereby I find the fore-feams of his Stones were broken off, as two of them are in mine. The stone seems wrought all over like the Fish mentioned by Mr. Lister, being composid of Trigonal, Tetragonal, Pentagonal and Hexagonal Plates. The upper part of the Conical end is wrought round with fix large Hexagonal plates, and these reach half way the stone; then sollows a second round, made up of eleven Pentagonal plates, pretty large, and these reach almost to the broad bottom, which is a little convex; the bottom it self and seet contain Plates of all makes, but most of them are very small. This Stone is in substance a whitish opaque fluor, of the same nature with the Trochites; it has outwardly a rusty coat, and is blewish within like some Sea-shells. When 'twas first found 'twas full of a fort of ashcolour'd

ashcolour'd-gristy Clay, which is the evident material cause of it it being found in a bed of the same. I easily pickt out the Clay with a Needle, fo that 'tis nowall hollow: the shell-like and sparry substance being scarce as thick as a Half-crown. I must own the knowledge of its being a radix to Mr. Lister's hint. though I have Agricola by me, but did not well mind him; and because the perfect radix was smooth on the top, and many other pieces of radix's which I have by me, they did not well indicate the thing, though upon a review I find one of them with small rays there. I have a great many of the Tetragonal, Pentagonal and Hexagonal Plates, with concavities, convexities; thin, smooth, and indented edges; little round knots on the convex part, others being only scabrous, others smooth, as I find many large pieces of the Radix's are. The fides of some are very unequal; in short, they agree in all things with Mr. Lifter's descriptions. I have one fexangular Plate very pretty, whose convex part has on it a star confisting of fix Embost rays, which shoot from the center directly to the middle part of the fides betwixt the Angles, and betwixt every two rays there grows a little flud after a very elegant manner.

5. To give an account of the place of their birth (though hinted before) I may now fay this; I find the Trochites (ticking to rake-mold stones, and in the crannies of Rocks at all depths. from the grass to 20 fathom; and doubtless there are of them deeper: But I find them most plenteously in certain beds of an ashcolour'd-gristy Clay, and particularly at one place within a vard or two of the grass. I found here a fruit with them like a lavis Judaicus (though somewhat defac'd) if not a species thereof: its about the bigness of an Acorn, with ridges and furrows running the long way; it differs from those describ'd by Mr. Lister N. 110; first, that this is not bigger, but rather less in the middle than at the ends; and fecondly, that its ridges are not knotted or purl'd. It is in substance a whitish opaque spar like the Trochites, though (as Mr. Lister says) some Trochites are of a dark-colour'd spar; and I find some of a white cawky substance, and some have a tincture of red ; but these differences proceed from the Clay of which they are made; for though an ashcolour be the chief in it, yet there are some veins of red in it, some of white, some of a light-blew, some of a dark-blew &c; which cause these varieties in the stones. I find some Trochites and En-

5 C 2

trochi

trochi shap'd in raw Clay before they have attain'd the consistency of a Stone; and these, if laid in the Sun, become light and spungy like a pumex. I took up there a piece of another strange Stone, of the like sparry substance; 'tis about the bigness of a Wallnut, hollow, and fill'd with the said Clay; it somewhat resembles a Helmet; the fore-part of it is smooth, the upper part, which has a large ridge in the middle, is all wrought with little rings, three at a place, encircled within each other. The Stone call'd Cornu Ammonis, shap'd like a Rams-horn, is very frequent in this clay; the largest I have is seven inches in length, four inches in compass at the broad end, and two and a ha'f at the small end; the top being broken off. Tracing its Original. I find some of the first buddings out of it about the bigness of a young Cocks-spur, and very much like it. I have fome in raw c'ay, and one growing from a white Cawky stone. They generally become at last a whitish Spar, and some milkwhite as some of the Trochites are: There are of all intermediate proportions betwixt these two, though very few of any bigness are to be found entire, but all broken and imperfed pieces: And I take the seeming summitates of Mr. Lister to be only little essays of Nature towards the production of this Stone, the alliance being evidently nearer than betwixt them and the Trochites. The rexture of these Stones is thus: Some have massy spar in their infides, which takes up three parts of the Stone; then from the Tharp top there grow thin flat cells, or small pipes of Spar, set edge-ways, one close to the other, all round the Stone, which shoot towards the broad end, and appear outwardly like small ridges or feams; and many of these pipes, running down thus after the stone, shew their hollows, some at one place of it, some at another, and some not till they come to the broad end: And this is the texture of the great Stone, which has rings also, though somewhat defac'd, running round it, tending likewise in their growth towards the broad end as in a Rams-horn. Most of the leffer stones have very little massy spar within them, and some have none, but appear somewhat hollow at the broad end, with cells coming down inwardly from the top of the stone, resembling those in the flowers of Coral, which terminate its branches: and doubtless, if taken from their beds in a seasonable time. would yield the like milky-juyce; for I find in the Cells of some broken pieces of these stones an evident concretion of such a milky

milky juyce. And I may here acquaint you, that I have a piece of branchy spar, which I found at a Mine on these Hills, growing like Coral, and terminated with buttons or flowers like it. I find very sew of the lesser Cornua Ammonia, whose Cells do any way appear or shew their hollows outwardly, as in the great stone, whose outward surface is wholly made up (as I said) of those cells, or thin slat pipes, set close the one to the other, many of which shew their hollows at several places in the stone; whereas the cells in the smaller ones appear only inwardly, having one coat outwardly which covers them all, and this coat in some is smooth, in others it's all wrought with little rings like the Helmet-stone beforemention'd; and some outsides have ridges or rings round them as a Rams-horn.

6. The Stones, I have given you an account of, generally move in Vinegar, the juyce of Lemmons, &c. fending forth bubbles, as I find Cawk will very freely, and most of our Mineral stones. Baptista Porta tells us, 1.20. Magia Naturalis, that he saw a piece of Alabaster weighing sour pounds, and carved in the shape of a Tortoise, move so. The said motion seems to proceed from the contest betwixt the acid spirit of the Vinegar and the Mineral salt; so that the Spirits by fermentation breaking forth under the Stone produce that essentials.

I well know, that an accurate view would discover many nice distinctions (omitted by me) in the shapes of all these Stones, (our Mineral Salts being almost as busic and luxuriant, as the volatile Salts in the Air in the siguration of Snow;) which I judge would be best performed by that person who makes it his business to record these things in the History of Nature, he being the most likely to find the aptest terms to specifie them; and haply the best service we can afford you from the Country, may be to surnish you with the things themselves, with a diligent account of the soyl and place of their birth, and with as full an intimation of their primary rise as we can possibly arrive at by a close inspection; leaving the minute description of the thing to the worthy Historian.

Should I give you my thoughts concerning their Vegetation, it would lead me beyond the bounds, which I am willing to allow this Letter, though I shall readily do it, and what other service I may, if you please to command it. If I had had the conveniency of an Artist to help the failings of my pen with his de-

fign, haply these things might have been more acceptable to you, and to those other worthy Persons, who make it a part of their delight to behold these curious sports of Nature, as they are represented by a skilful hand, when they cannot see them in themselves; but I know your Candour will excuse what could not be procur'd by him, that is very much, Sir,

Stony-Easton, Apr. 7. Your humble Servant, 1676. J. Beaumont Jun.

SIR.

The Second Letter of June 17.1676.

Ince my last having used some diligence in searching Mines, it has been my chance to make good the suspicion of Mr. Lister, to wit, that the Trochites are parts of Rock plants; for, viewing the Earths and Stones cast up out of several Mines where those stones were, I came at length to a Mine, where well near all the Entrochi (so called hitherto) or bodies of these plants grew tapering and ramous, some of them having branches issuing from them near two inches in length, and other small branches issuing from those; and upon a nearer search I discovered an Entire plant, though small, growing up after the side of a Stone: I sound also, that all the clists in some Mines are made

Stone: I found also, that all the clifts in some Mines are made up of these Stone-plants; whereof some, as appears, were converted into the nature of those Lime-stone-rocks, whilst they were in their first tender growth; others being become Spar compose rocks of that substance.

Considering that all the Clifts for a very large circumference

in some places are made up of these Plants, we may truly say, that there have been, and are, whole sields or forrests of these in the Earth, as there are of Coral in the Red-Sea. In the Courses, (or Loads, as some call them) betwixt the clists I find of these Plants growing up in the gristy clay, mention'd in my last, being rooted on the rake-mold stones; many of them being above a foot in height, and about the bigness of the stem of a Tobaccopipe: All I have yet seen of this length, are either raw clay, or of the consistency of a Lime-stone, and some of them have outwardly evident beginnings of circles and sutures. The small Plant which is entire, and the branched bodies of many others have attain'd their full term of growth, being become perfect Spar: If these had ever a height answerable to their bigness, (some of them being near three inches about, they must have been much higher than those before-mention'd: The branches are all joynt-

ed, and have the same bore with the trunks, and are terminated with round and blunt joynts, but very small. I find the bores or hollows of such as are found to be commonly sill'd with a milky crudeled substance, which probably in their time of growth was sluid like that in Coral. As it cannot be doubted but many of these Plants grow on those admirable radix's of which we have given an account, and whereof I have at present some pieces which have a cinquesoil-bore on the top, others with the impressions of oval joynts there, and many other differences; so I am now fully satisfied that many of them grow from plain roots, that is, from plain Spar, or Limesone, without any such sigure, as the entire Plant does, and many other trunks which I have noted.

Another observable is that these plants do not alwaies grow up with one trunk or body, but semetimes five or six sprouts. near of an equal bigness, shoot up together from the same root; as it usually happens with Coral. As in my last I acquainted you, that I had some single joynts and pieces of many joynts, which had fix inlets in their hollows; fo I have fince met with fome which have only four; others with feven, and doubtless there are of other varieties in this kind. Mr. Lister is pretty full in his account concerning their outward differences; to which I may add, that some trunks have a circular edge on every other joynt; the intermittent joynt being smooth without edge or knot: Some Trunks have circular edges on the middle of every joynt, but so that the first and fifth edges are the highest; the fecond and fourth the lowest; the third is higher than the latter, and lower than the former; the joynts themselves being great and small accordingly, and this order holds all along the Plant. Some Trunks have edges according to the same order, only the edges on the second and fourth joynts are round and blunt, the other three being sharp; some have edges after the same order, which are all round and b'unt. There are fome Trunks wrought after the same manner, only the first and fifth joynts have a circle of knots round them, the other three have edges: Some Trunks have no circles, nor knots, but are only a little scabrous like the plates which compose some Roots, of which Plates I have also now some of different figures from what has been observ'd hitherto. It may be a Quere, whether these differences in the bores and ontward coats of these plants do argue them to be

of different species, diversity of figure being usually a mark of a specifical distinction; but since the texture of their substance appears to be wholly the same, and we find no qualities either by the smell or taste which manifest any such diversity, it may, perhaps, be as hard to make them out to be distinct species, as to shew a specifical difference between several Snow-blossoms.

Confidering the reason of that strange and mangled disorder which these plants usually lie in, some of them appearing to have been deprest in their infant growth, others to have been broken after they were come to their full confidency, &c. I gather it to be this: Whilst these plants were growing the clay wherein they grew was fost as a Quag mire, these probably requiring such a substance to support their growth, as Coral does Sea-water: afterwards as they began to fettle to a Stony confishency, and as part of the clay became of a rocky nature, the whole mass sank from its first position, and the mossiure passing away made some concavities, washing down some broken pieces of those stones with it; and lumps of clay and other stones, falling down through those crannies, added to their confusion, being very apt to be disordered by the least concussion, either whilst they were in their first growth, or after they were become Spar, their joynts being very tenderly set together; and hence these Stones are generally found in Leirey places (as they call it) that is, Cavernous.

The best way to explicate their Vegetation will be, first, to represent the several ways of the growth of Spar, which (to pass by the account from Helvetia, that Snow by long lying and continual frosts is hardned into Spar ) I observe to be three: Either it takes a being from Steams alone; or from Steams coagulating either Dew as it falls on the ground, or Waters iffuing from the joynts of Rocks underground; or it grows from Earths and Clays. We have an instance of the first in many Grotto's, where some Spars, produc'd from Steams alone, hang from the roofs like Icicles; Lead-oar often growing in the fame manner; and as this Spar grows downwards, so in many places from the fides of it, there iffue little Plants of Spar, which shoot upwards contrary to the growth of the other: Thus Spars grow from steams about the Baths at Buda in Hungary, according to the relation of Dr. Browne. An example of the second is given in the Transact. N.83.p.4068. where 'tis said, that at a certain place in Italy Crystals (which are a fort of Spars) are produc'd in clear evenings by a coagulation of Dew falling on Nitrous steams. We have some of the like rise on Mendip-hills, our Miners sinding sometimes in roads, where the earth is bare, triangular Crystals about two inches in length, and an inch over, not with sharp angles, like the Triangular glass, but with round and blunt angles, and carried up round at the ends like a Coconut, none of these being ever found in digging: I have seen of the same fort which were taken up in Glocester shire. So again its commonly seen in Grotto's, that steams, coagulating waters issuing from the soynts of the clists, produce Spars of all colours. As to their third way of generation, to wit from Earths and Clays, because I do not remember to have met in any Author with a satisfactory account thereof, I shall briefly relate to you what I have observed herein.

There are on Mendip-hills, and generally where Mines are. fubterraneous Vaults or Grotto's, whereof some, which are pretty deep, and admit not air too freely, and have other conditions requir'd, are faid by our Miners to be quick, having often oar in them, and still lively colour'd Earths, with some moisture and lively Spars: Others, admitting air two or three ways, and having in them black and moist rocks, and dry and rotten shelly Stones, dark Earths, barren Sands, and the like, being faid to be dead. I have often fearch'd both, and in some of the former. particularly in one of them, which is 35 fathom deep by a perpendicular. Line (though the oblique descent of it makes it above so fathoms to those that go into it,) I discover'd this process of nature in the formation of Spar: There are in the bottom of this Grotto some beds of Clay, and others of a Liver-colour'd earth, which I take to be as good a Bole as any now in use; it is infipid to the tafte, but finells well, especially when dry'd; for, as it lies, it is moist and like paste, made so partly by the distilling waters, and partly by a steam incumbent on the place raised from those waters by the Mineral ferments. This Earth and Clay there shoots up every where in spires in all proportions in height, from the first buddings out of it, till it comes almost as high as a mans finger; the biggest of them being in thickness about an inch diameter: These spires are all rul'd up with irregular ridges and furrows, and some sooner, some later begin on the top to be congeal'd into Spar, and fo, gathering a crust down-

D

ward

ward by degrees, are all at last turn'd into an absolute white Spar, with some Diaphaneity. I discover'd the same Earth in some places there growing spherical, which whilst it is Earth, it is still sticking to its bed; but afterwards, as it comes to be crusted over, and at last to be turn'd into Spar like the other, it grows clear off from its root, as fruit falls from the tree when ripe. I have by me of these Spherical stones, from the bigness of an ordinary Bullet to that of a great Pins-head, some turning to Spar sooner than others: I found some quite grown off, some half grown, some white Spar outwardly, and raw Earth in the middle, fo that the process was as plain to me as I could wish. I saw the same Earth in some places there growing in an exact oval form, and turning into Spar not oval, but rais'd on both fides with an edge round it like an Apricock-stone: And as these spherical and oval stones are most exact in their figure; so, notwithstanding the Rector fails in this Vault to give a true sexangular figure to those which I said shoot up pyramidally; yet there is a certain place on these hills, where the Spars grow all fexangular, both points of them terminating into a pyramidal figure, sexangular likewise, as the veins of Crystal, sound in Italy. produc'd by a coagulation of Dew; these with us probably having the same rise, lying also on the surface of the earth. Here I may acquaint you, that I find Tale on these Hills growing sexangular; the rust, which often lies over veins of Lead-oar, in many places shoots up pyramidally, and is bounded round with fix angles, and sometimes with five: Lead-oar it self often shoots up pyramidally with rough irregular lines round it, and in fome places I find it bounded round very regularly with four angles: in other places it grows branched like a Plant, as I have feen in a Mine where the Stone-plants grow.

To come now to the Vegetation of these plants, I find, they begin their growth from the finest parts of clay, being commonly white, soft and smooth at first, and by degrees come to have ridges, knots and sutures, as they grow towards a stony, and so to a sparry nature. The pith continues still soft and white, as the whole is at first, and its continually refresh by the Mineral steams, and moisture, which have free access to it through the sive hollow stirts or feet in the figur'd roots, or through the mass of clay which commonly lies under the plain roots; this free supply of moisture being probably more necessary for the sup-

port of these plants than for those which appear to the day; fince Nature carries-on her Mineral generations with a stronger effort than other: Wherefore Field-plants hold a communion with the steams and moisture of the earth by perspiration only, as they breath through the roots, which have no open passage for them. Nor can it be said but those Stone-plants have true life and growth; for fince in the curiofity of their make they may contend with the greatest part of the Vegetable kingdom, having parts to affimilate nourishment by attraction, retention, concoction and expulsion, I know not why they may not be allow'd as proper a vegetation as any plant what loever. And indeed what has been faid hitherto against the vegetation of Stones, to prove that they receive their increase only by juxta position, has been chiefly meant of Common stones, which have no parts that carry any analogy with plants; whereas these are shap'd like them, having inward pith or sap, and likewise joynts, and runnings in their grit, and fometimes cells, which may very well supply the place of veins and fibres. Nor does that argument which is brought in the Transact. N. 99. against the vegetation of Coral seem to convince us: For though that Person can produce a Salt of Coral, which after diffolution will upon coagulation shoot into a little grove of Plants, as it were, resembling the growth of Coral, this cannot disprove its Vegetation; for, it's well known, that all Plants may be so prepar'd, that from their ashes they will rise again in their proper species after such a manner.

As to that opinion which generally solves those various Phanomena of the several figur'd Stones, which we find in Mines and elsewhere, by saying that they are parts of Plants and Animals, or whole ones, petrified; it seems not to be grounded on practical knowledge: Thus when we find several sorts of Shell-fish in Mines, as there are some in the clay where those Stone-p'ants grow, we must not flie to petrifaction, as though they had been brought there by the Sea, or otherwise, and so petrified; but we must take that to be (as it is truly) the natural place of their birth; some of them being raw-clay, others of the same texture with the Rock where they grow, and others of as absolute a shelly substance as any in the Sea; these being only different gradations of Nature, which can as well produce shells in Mines as in the Sea; there being no want of Saline nor Earth-

ly

thy particles. Nor is there any great difference betwixt some forts of Spars, and Sea shells; neither do I know, why Shells might not as well be produc'd in Mines, as any forts of Spars are in the Sea; for instance, the Fungi Marini, which are of a sparry substance, some of them having their surface all wrought with flowers, as it were, which are only the terminations of sparry cells, as in Coral, and Coral it self is a fort of Spar, which so well resembles our Stone-plants in its growth, especially if some of it be joynted, as Mr. Ray informs us, that I know not a more apt name for these than to call them Mineral Goral; unless some haply will rather say, they are Fluores arborescentes internodia distincti; and as I find the bodies and branches of some Coral are all rul'd up with lines, so are many of these in some Mines, and are terminated with cells like it.

Mr. Lister N.79. of the Transatt. p. 2282, judges, that Shells found in Stone-quarries were never any part of an Animal; and gives this probable reason for it, because Quarries of different stone yield us quite different species of Shells, not only one from another, but from any thing in Nature besides, which either the land, salt, or fresh water does yield; and though some seem of the same species, and much like each other, yet there is distinction enough to hinder them from being sampled by any. This Mr. Lister. I observed the same thing some years since, when I endeavour'd to satissise my self of the process of Nature in this kind; and have now by me several species of Stones resembling Shell-sish, which I gather'd from Plow'd fields and Quarries, that are scarce to be parallel'd, as I judge, by all the Collections of Sea-shells extant.

To examine this opinion of Petrifaction further; perhaps it might feem rash to deny a petrifaction of Animals and Vegetables, so many instances being alledged on all hands by judicious persons attesting it; though I cannot say, that my own observations have ever yet presented me with an ocular evidence of the thing: I only find, that the thing supposed to be petrified become sinst crusted over with a stony concretion, and as erwards, as that rors away inwardly, the lapidescent juyce insulates it self-by degrees into its room, and makes at last a firm stone refembling the thing in shape; which may lead some to believe it really petrified. But, shough a real petrifaction were allowed in some. So, it would not be rational to plead this in all the significant.

figur'd stones we see, in regard of those many grounds we have for the contrary. But I take these to be the chief reasons which make some so ready to embrace so generally this conceit of petrifaction, because they are prepossest with an opinion against the vegetation of all Stones, and for that they think it impossible for Nature to express the shapes of Plants and Animals where the Vegetative life is wanting, this being a faculty peculiarly belonging to that foul, whereas they feem to erre in both: For, as what has been faid concerning our Stone-plants, may fuffice to prove their vegetation; so it will be as easie to shew, that Nature can and does work the shapes of Plants and Animals without the help of a Vegetative foul at least, as it is shut up in common feeds and organs. To be satisfied of this, let them view the figurations in Snow; let them view those delicate Landskips which are very frequently (at least in this Country) found depicted on stones, carrying the resemblance of whole groves of Trees, Mountains and Vallies, &c; let them descend into Coalmines, where generally with us the clifts near the Coal are all wrought with curious representations of several forts of herbs; some exactly resembling Fern-branches, and therefore by our Miners call'd the Fern-branch clift; some resembling the leaves of Sorrel, and several strange Herbs, which haply the known Vegetable kingdom cannot parallel; and though it could, here can be no colour for a petrifaction, it being only a superficial delineation. The like may be faid of Animals, which are often found depicted on Stones; as all Mineral histories will sufficiently inform them. Now since here is no place for Petrifaction, or a Vegetative foul, we can only fay, that here is that feminal root (though hindred by the unaptness of the place to proceed to give these things a principle of life in themselves) which in the first generation of things made all Plants, and, I may fay, Animals rife up in their distinct species; God commanding the Earth and Waters to produce both, as some Plants and Animals rise up still in certain places without any common feed.

It seems to be a thing of a very difficult search, to find what this Seminal rest is, which is the efficient cause of these figures. Many of the Ancients thought it to be some outward mover which wrought the sigures in things for some end; the Peripateticks rather judg'd is to be some vertue implanted in the seed, and in substances having an analogous nature with the seed. As

I have now and then essay'd to find the nature of this Efficient. which works these figures in stones: It seem'd to me not very unapt to explicate it according to the faving of Heraelitus; Lux sieca, anima sapientissima, that is, where there is a strong internal light to expand the Idea's, and a drought to terminate them the vertue of a foul is still present which imprints them in the mate ter: Hence we find Nature is most busie in the kind where her intentions are highly raised by the presence of her chief principles, Salts, Sulphurs, and Mercuries promoting her ferments. which cause some internal light and drought, the Ignes fatni being only shadowy results from them: Thus we see over and in beds of Clays and Marles, which have strong ferments, being well impregnated with Salts, there often lie beds of Marchasites full of luminous particles, and there we frequently find great numbers of Lapides Serpentarii, and Marchasites resembling Snakes: and so several other figur'd Stones, as the Belemnites, &c. In the joynts of the Lias-stones, growing over beds of Clay, we often meet with a great plenty of elegant Landskips. In Coal-mines, where the Sulphurs are strong, we find great lumps of very bright Marchasites, and great varieties of Herbs depicted, as is faid before. In Mines of Metals, where the Mercuries are generally predominant, there are landskips and representations both of Land and Sea-animals, whereof some carry a bulk others are only superficially delineated. Those who endeavour to explicate those figurations mechanically, seem to have a harder task; for, if they fay with Hippocrates, I.de Nat. Pueri; Spiritu distenta omnia pro generis affinitate distant; as though, when the Mineral spirit had extended the matter, it fell into those figures upon a spontaneous recess according to its proper weight, which gives order and measure to things; as he mechanically shews by a Bladder, into which if earth, fand, and filings of lead be put, and water be added to them, and we give them motion by blowing in the Bladder through a reed, first they are mixt together with the water, but in a while continuing in a gentle motion they separate themselves and retire each to its like, the lead to the lead &c; I say, if it be explicated thus, it seems difficult to conceive, how the matter should come to have such a determinate weight to run into such figures, without a specifical Restor to intend and dispose it, unless a general one be admitted, in whose vertue all known and possible species are, which, first introducing

and, as sometimes he gives that weight to the matter, not endowing it with a principle of life, so he often disposes it to receive life and introduces it; which Position I conceive will hold good, notwithstanding some late industrious essays to prove that there is no Equivocal birth.

Thus, Sir, I have inform'd you, that the Trochites are parts of Rock-plants, and have given you something of what I conceive and practically know concerning their vegetation, essaying withal to render some account of those various figures which are found amongst Minerals: Not but my thoughts are very poor of these things, which can make but a very slender addition to that rich store sent you by your learned Correspondents, I shall conclude with a request to you concerning a thing, which may prove very much to the advantage of those who are concern'd in Mineral adventures: It is a constant opinion amongst our Miners, that Lead-oar discovers it self by an Oily-smell, and that chiefly in a morning a little before the rifing of the Sun, especially when some show'rs have fall'n in the night: This being so, I find two things in the Transact. which give me hopes that this way of discovery may be much improved by Art: The first is an intimation of a way shewn by Sr. William Petty in his Tract of Double proportions, whereby we may discover a smell at a great distance, and so consequently the intensness and remisses of it near at hand, wherein the chief difficulty will confift; for, where these Smells rise, they commonly dissuse themselves to a furiones circumference or more, so that we are more at a loss to find exactly the place whence they rife, than to make a first discovery of them. The second thing is the Statical Baroscope of Mr. Boyle, which I conceive may give us some light of their true source. there being probably at that place a considerable variation in the pressure of the Atmosphere by reason of the Mineral-Steams which are there in the greatest abundance. I am not ignorant, that some strongly fermented beds of Mineral-earths and rusts, which are sometimes barren, send forth a ranker smell than Oar it felf, which may now and then deceive us; but because for the most part these are concomitants of Oar, we may not look upon the attempt as fruitless. Now, Sir, my humble request to you is, that you will be pleased to oblige me with your opinion of the probability of the success, and to instruct me in the way which Sr. William

William Petty proposes in his Double proportions; for I have not read the Tract; and if I understand you judge the thing rational, I shall endeavour to procure the Instruments, and proceed to practice, and shall pay you my hearty thanks with a ready return of any service that lies in me, being, Sir,

Stony-Easton, June 17. Your obliged and humble Servant, 1676. J.Beaumont Jun.

An Account of some Books:

I. Ephemeridum Medico physicarum Germanicarum ANNUS IV & V, Anni 1673 & 1674, & c. Cum Appendice: Franco-

furti & Lipsiæ, 1676. in quarto.

His industrious Collection contains 210 Observations: among which not a few feem confiderable and uncommon; E.g. Menses coming at 8 and 9 years of age: A Prince that lived a great while with great and dangerous diseases: The Errors of Nature in one part supplied by another: A prefervation from drunkenness by the gaping of a Suture of the Head: A cure of the Scurvy by a Dog's licking the Patient in the parts most affected, together with the cure of that Dog, becoming altogether scabby, by Mercurius dulcis: Two men monthly troubled with the Hæmorrhoids, from their youth, the one unto the eightieth, the other to the ninetieth year of his age: An Ague recurring every eighth day: Worms of divers forts fallen down with Snow in Hungary, not far from the Copper-mines of that Country: Of a young woman, that though flie did for a while drink wine, yet came afterwards fo to abhor it, that she could take nothing physical, that had any thing prepared of Tartar in it, but did sweat, and faint away when it was given her, though fhe knew nothing of it before hand: The juyce of Hemlock mixed only with a little Sugar, for several days taken inwardly, to the quantity of three ownces at a time, to allay the heat of the Liver; follow'd by no other noxious effect but a debilitation of the strength of the Patient: The Preparation of the Helmontian ludus, together with an account, that the Oil, drawn of black Flints, such as we strike fire with, cures the Stone of the Bladder; as also, that the Spirit of Sea-Salt, especially of Spanishfalt, is a potent remedy against the Scrangury: A wound in the Breast and Lungs not mortal: Fontinels or Issues naturally arifing in the Arms and Feet, and curing a Patient of a violent Head= ache, and trouble som pustules of the Head; as also of an Issue in