

XVIII. *Extract of a Meteorological Journal for the Year 1776, kept at Bristol, by Samuel Farr, M. D.*

Read February 27, 1777.

Months.	Barometer.			
	Highest.	Lowest.	Mean.	Viciffitude.
January	29,93	29,04	29,53	— 47- $\frac{1}{2}$ +
February	29,74	28,66	29,21	102-2 +
March	30,28	28,80	29,53	110-2 +
April	30,28	29,26	29,85	68-2 —
May	30,30	29,10	29,88	40- $\frac{1}{2}$ —
June	30,20	29,38	29,88	39-1 $\frac{1}{2}$ —
July	30,16	29,30	29,76	40-1 $\frac{1}{2}$ —
August	30,08	29,30	29,68	30- $\frac{1}{2}$ —
September	30,20	20,17	29,72	98-4 +
October	30,18	29,60	29,87	54-1 +
November	30,15	28,90	29,74	65- $\frac{1}{2}$ +
December	30,28	29,26	29,76	32- $\frac{1}{2}$ + rising. — falling.

VOL. LXVII.

Z z

An

An abridged Table of the WINDS, &c. for BRISTOL, for
the Year 1775.

	N	E	W	S	NW	SE	NE	SW	Rain.	Frosty Days.	Fair Days.	Thunder, &c,
Jan.	0	1	0	0	$\frac{1}{2}$	3	$23\frac{1}{2}$	3	3,993	25	6	
Feb.	0	0	0	$1\frac{1}{2}$	1	$3\frac{1}{2}$	$2\frac{1}{2}$	$20\frac{1}{2}$	5,538	1	$5\frac{1}{2}$	5. S.W.
Mar.	0	$1\frac{1}{2}$	0	$1\frac{1}{2}$	$1\frac{1}{2}$	3	$7\frac{1}{2}$	16	1,643	$2\frac{1}{2}$	$13\frac{1}{2}$	
Apr.	$1\frac{1}{2}$	1	$\frac{1}{2}$	2	4	2	$10\frac{1}{2}$	$8\frac{1}{2}$	0,438	1	18	
May	$2\frac{1}{2}$	2	$\frac{1}{2}$	$2\frac{1}{2}$	4	1	$11\frac{1}{2}$	7	1,149	0	$13\frac{1}{2}$	
June	$\frac{1}{2}$	$\frac{1}{2}$	0	3	2	5	$5\frac{1}{2}$	$13\frac{1}{2}$	2,554	0	$13\frac{1}{2}$	13. S.
July	0	0	$\frac{1}{2}$	3	3	5	1	$18\frac{1}{2}$	2,332	0	13	5. S.E. 19. S.E.
Aug.	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	1	5	$6\frac{1}{2}$	3	14	4,747	1	$11\frac{1}{2}$	{ 6. N.W. 16. S.W. 30. S.W.
Sept.	0	0	0	$\frac{1}{2}$	4	3	10	$12\frac{1}{2}$	3,270	5	$15\frac{1}{2}$	4. N.W. 8. N.W.
Oct.	0	$1\frac{1}{2}$	0	$1\frac{1}{2}$	$3\frac{1}{2}$	4	13	$7\frac{1}{2}$	1,686	4	6	
Nov.	1	0	$\frac{1}{2}$	0	2	13	$1\frac{1}{2}$	12	2,283	5	$10\frac{1}{2}$	30. S.E.
Dec.	$3\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$3\frac{1}{2}$	$10\frac{1}{2}$	2	10	1,422	9	11	1. S.E.
	$9\frac{1}{2}$	$18\frac{1}{2}$	3	17	34	$59\frac{1}{2}$	$91\frac{1}{2}$	143	31,055	$53\frac{1}{2}$	$137\frac{1}{2}$	

WEATHER FOR THE YEAR 1776.

January. It rained a little at first; but soon changed to snow, which was succeeded by a hard frost that lasted till the next month.

February. After the thaw it became very wet and tempestuous.

March. Often frosty and fair, with now and then a considerable storm, as on the 8th and 9th.

April. Stormy, although but little rain fell for about half this month; after the 20th it was quite fair.

May. After this it was stormy, with some rain on the 4th, 5th, 6th, 8th, 11th, 19th, and 20th, but not much; the rest of this month was fair.

June. Very wet for 7 or 8 days, and on the 10th, 11th, and 12th, and also from the 14th to 17th; it was then fair to the 23d; rained then and on the 24th and 27th.

July. Very wet and cloudy, with thunder, &c. on the 5th and 19th; very few days fair till the 22d; after which it was in general fair this month.

August. Very fine for a few days; but afterwards it became wet and stormy till the 20th; after which it was in general fair.

September. Stormy for some days; fair on the 8th and 9th; frosty on the 10th, and then fair to the 15th; wet to the 18th; and then fair to the end.

October. Dry though cloudy, with a little rain for 7 or 8 days; after which it rained part of every day for as many more, and then became variable with some frosty nights.

November. Dry with some frost and fog, but with little rain on the 9th and 11th, and for a fortnight after;

it next became variable, but generally fair; it rained very hard on the 23d and on the 28th.

December. Wet for a few days and then cloudy, but without rain for the first week; it was then dry for a few days; it froze on the 16th, and snow fell on the 18th; the 19th was fair; it rained afterwards to the 23d, and snowed on the 24th; after which a frost set in, and continued till the end.

