

# **Release Notes for SimDriveline™**

---

## How to Contact MathWorks



[www.mathworks.com](http://www.mathworks.com) Web  
[comp.soft-sys.matlab](mailto:comp.soft-sys.matlab) Newsgroup  
[www.mathworks.com/contact\\_TS.html](http://www.mathworks.com/contact_TS.html) Technical Support



[suggest@mathworks.com](mailto:suggest@mathworks.com) Product enhancement suggestions  
[bugs@mathworks.com](mailto:bugs@mathworks.com) Bug reports  
[doc@mathworks.com](mailto:doc@mathworks.com) Documentation error reports  
[service@mathworks.com](mailto:service@mathworks.com) Order status, license renewals, passcodes  
[info@mathworks.com](mailto:info@mathworks.com) Sales, pricing, and general information



508-647-7000 (Phone)



508-647-7001 (Fax)



The MathWorks, Inc.  
3 Apple Hill Drive  
Natick, MA 01760-2098

For contact information about worldwide offices, see the MathWorks Web site.

*Release Notes for SimDriveline™*

© COPYRIGHT 2010-2012 by the MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

### Trademarks

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See [www.mathworks.com/trademarks](http://www.mathworks.com/trademarks) for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

### Patents

MathWorks products are protected by one or more U.S. patents. Please see [www.mathworks.com/patents](http://www.mathworks.com/patents) for more information.

## **R2012b**

Double-Shoe Brake and Band Brake blocks .....	2
Double-Sided Synchronizer and Synchronizer blocks ....	3
Rolling Resistance block for custom tire models .....	4
Optional rolling resistance in Tire (Friction Parameterized) and Tire (Magic Formula) blocks .....	5
Five-speed transmission demonstration model with individually controlled double-sided synchronizers ....	6
Four new examples .....	7

## **R2012a**

New Blocks .....	10
New and Updated Examples .....	11
Input Filtering Usability Enhancements in SimDriveline Version 2 Transitional Library Blocks .....	12

## **R2011b**

New and Updated Blocks .....	14
Changes to Data Logging Object Naming .....	15
New Examples .....	16
Improved Documentation .....	17

## **R2011a**

SimDriveline 2.0 Software .....	20
Selected Version 2.0 Features Compared with Version 1 Features .....	22
Working with Version 1 Models and Libraries .....	24
Accessing Version 1 .....	25



# R2012b

---

Version: 2.3  
New Features: Yes  
Bug Fixes: No

## Double-Shoe Brake and Band Brake blocks

SimDriveline™ adds two blocks to the Brakes and Detents library:

<b>Block</b>	<b>Description</b>
Double-Shoe Brake	Friction brake with two diametrically opposed rigid shoes positioned about a rotating drum
Band Brake	Friction brake with a flexible band wrapped around a rotating drum

## Double-Sided Synchronizer and Synchronizer blocks

SimDriveline adds two blocks to the Clutches library:

Block	Description
Synchronizer	Clutch synchronizer with one dog clutch, one cone clutch, and one detent
Double-Sided Synchronizer	Double-sided clutch synchronizer with two dog clutches, two cone clutches, and one detent

## Rolling Resistance block for custom tire models

SimDriveline adds one block to the Tires & Vehicles Library:

Block	Description
Rolling Resistance	Resistance force due to road-wheel contact



## **Optional rolling resistance in Tire (Friction Parameterized) and Tire (Magic Formula) blocks**

The Tire (Friction Parameterized) and Tire (Magic Formula) blocks introduce an optional set of rolling resistance parameters. Represent tire rolling resistance with a constant resistance coefficient or with a pressure and velocity dependent model that meets the SAE J2452 standard.

## **Five-speed transmission demonstration model with individually controlled double-sided synchronizers**

A new example demonstrates a five-speed transmission model. The model contains five forward gears and one reverse gear driven by an engine. Proportional control systems govern a set of double-sided synchronizers that engage each gear with an output shaft.

## **Four new examples**

SimDriveline introduces four examples:

- Five-Speed Transmission (highlighted above)
- Reversing Transmission
- Hydromechanical Hoist
- Braking Mechanism



# R2012a

---

Version: 2.2  
New Features: Yes  
Bug Fixes: No

## New Blocks

### New Couplings and Drives Block

<b>Block</b>	<b>Description</b>
Belt Drive	Model a belt drive
Belt Pulley	Model a belt pulley
Chain Drive	Model a chain drive
Rope Drum	Model a rope drum

### New Tire Blocks

<b>Block</b>	<b>Description</b>
Tire (Friction Parameterized)	Model a tire using kinetic and static friction coefficients
Tire (Simple)	Model a no-slip tire with minimal parameters

## New and Updated Examples

### New Examples

Example	Description
Stepping Mechanism with Detents sdl_stepping_mechanism_with_detents	Models a stepping mechanism, including using Translational Detent blocks.
Power Window System sdl_power_window	Models a power window system, including using the new Rope Drum and Belt Pulley blocks.
Sheet Metal Feeder sdl_sheet_metal_feeder	Models the feeding mechanism of a sheet metal cutter, including the use of the Loaded Contact Translational Friction block.

### Updated Example

The “Vehicle with Four-Wheel Drive” example (sdl\_4wd\_dynamics) now uses Simulink® subsystem variants to allow testing with several different tire models.

## Input Filtering Usability Enhancements in SimDriveline Version 2 Transitional Library Blocks

**Compatibility Considerations: Yes**

SimDriveline Version 2 Transitional library blocks that accept Simulink inputs now have an **Input Handling** tab. You can choose between no filtering, first-order filtering, and second-order filtering with a time constant that you specify. For more information, see Input Handling Options in Version 2 Transitional Library Blocks.

Some Transitional library blocks have multiple Simulink input ports. Changing the settings under the **Input Handling** tab affects all Simulink input ports equally.

Simulink-PS Converter blocks provide input handling options in Transitional library blocks. The SimDriveline software uses these Simscape™ blocks in the architecture of the Transitional library blocks. These blocks exist behind a mask. For more information, see Input Filtering Usability Enhancements and Simulink-PS Converter in the Simscape documentation.

---

**Note** In the Version 2 Transitional library, the Motion Actuator block does not require an acceleration input. The input port is still present to provide a consistent block interface, but it no longer uses an acceleration signal. For more information, see version 2 transitional library.

---

### Compatibility Considerations

When using an explicit Simulink solver in a SimDriveline Version 2 model, you must specify a sufficient number of input derivatives in the **Input Handling** tab. Failure to do so results in an error.



# R2011b

---

Version: 2.1  
New Features: Yes  
Bug Fixes: No

## New and Updated Blocks

### New Blocks

These blocks have been added in Version 2.1.

- Flexible Shaft
- Rotational Detent
- Translational Detent

### Updated Blocks

These blocks have been improved in Version 2.1.

<b>Block</b>	<b>Enhancement</b>
Generic Engine	Simulation diagnostics added
Torque Converter	Additional parameterization options
Variable Ratio Transmission	Simulation diagnostics added

## **Changes to Data Logging Object Naming**

### **Compatibility Considerations: Yes**

If you log data in a SimDriveline model using the Simscape data logging feature, some internal node and subcomponent names will change when you log data from an unchanged model using SimDriveline 2.1, as compared with Version 2.0.

These changes enhance your understanding of the internal structure of SimDriveline models, as reflected in the data logging object.

### **Compatibility Considerations**

If you have written a script that depends on the specific names of nodes and subcomponents in SimDriveline data logging objects, you need to update your script so that it conforms with the new naming scheme.

## **New Examples**

The new version contains four new examples illustrating how to model hybrid (gasoline-electric) transmissions with SimDriveline software.

- `sdl_power_split_hybrid`
- `sdl_parallel_hybrid`
- `sdl_series_hybrid`
- `sdl_dual_mode_hybrid`

## **Improved Documentation**

### **Manual Reconstruction of Version 1 Models**

The reference chapter on working with legacy Version 1 models and libraries has been expanded with a new section on how to rebuild Version 1 models in Version 2 without automatic conversion. See [Manual Reconstruction of Version 1 Models in Version 2 in Relationship of Version 1 and Version 2](#).



# R2011a

---

Version: 2.0  
New Features: Yes  
Bug Fixes: No

## SimDriveline 2.0 Software

SimDriveline 2.0 is a new version of an existing product in the Physical Modeling family that models and simulates drivetrain systems. The new version is fully integrated with Simscape software and supports physical connections, physical signals, data logging, local solvers, and other Simscape features. At the same time, this new version extends the Simscape library with additional rotational and translational mechanical components.

With SimDriveline software, you can model bodies rotating around and translating along multiple axes, connect them with gears, and create powertrains with clutches, transmissions, and other dynamic elements and subsystems. SimDriveline software also lets you actuate and measure torques, forces, and motion. You can model, simulate, analyze, and control the motion of complex drivetrains.

SimDriveline 2.0 also includes:

- Components that couple rotational and translational motion.
- Gears with optional friction loss.
- Clutches using Coulomb friction that lock and unlock.
- Improved algorithms for simulation of redundant dynamic constraints.
- A translator function to convert Version 1 models and user-defined libraries to be compatible with the new Version 2 product library.

### Required Products

SimDriveline software is an extension of the Simscape product and requires these products:

- MATLAB®
- Simulink
- Simscape



## **Selected Version 2 Capabilities Based on Simscape Software**

For an introduction to Simscape blocks, modeling, and simulation, consult the *Simscape Getting Started Guide*.

For learn more about the Simscape features that improve how you model and simulate driveline systems, see these sections of the *Simscape User's Guide*:

- Basic Principles of Modeling Physical Networks.
- Data Logging.
- Setting Up Solvers for Physical Models and Customizing Solvers for Physical Models.

To learn how to define Simscape based blocks programmatically, see the *Simscape Language Guide*.

For details on Simscape mechanical and utility blocks that replace certain Version 1 blocks, see the block categories in the *Simscape Reference*.

## Selected Version 2.0 Features Compared with Version 1 Features

### Features Improved in Version 2.0

- Efficiency and other frictional losses in Version 2 gears.

These loss features are now built into the gear blocks. MathWorks recommends that you select adaptive zero-crossing in the Configuration Parameters menu of models that include gears with efficiency loss.

- Data logging without sensors.

Version 2 supports the Simscape data logging capability.

- Simscape fixed-step local solver now supported.

You can use a separate local, fixed-step solver on physical networks in Version 2 models.

- Redundant dynamic constraints now solved without errors.

In Version 2 models, when ideal clutches lock and carry the same load, the load is now distributed between the clutches without generating simulation errors.

### Features Changed in Version 2.0

- Certain mechanical rotational components in the Version 1 library now provided by the Simscape Foundation library, in its mechanical and utilities sublibraries.

These equivalent components include Solver Configuration, Inertia, various sensors and sources, and simple rotational mechanisms.

- Direct connection to other Simscape components.

You can directly connect Version 2 blocks to other components based on Simscape software, without an interface component, as long as you respect the Simscape rules concerning physical ports and connections. SimDriveline driveline ports and connection lines are now mechanical conserving rotational or translational ports and physical connection lines.

- Motion initial conditions set in Version 2 Inertia and Mass blocks.

In Version 1, you set initial conditions in a separate block.

- Simulink variable-step solvers for variable-step simulation.

Version 2 is compatible with all Simulink solvers. For variable-step simulation, MathWorks recommends that you select `ode23t` or `ode15s` in your model Configuration Parameters menu.

## **Other Changes in Version 2.0**

- Version 2 generated code simulation is slower than with Version 1.
- Tunable parameters are not supported with the SimDriveline 2 libraries.

Changing block parameter values for simulating with generated code requires changing those parameter values in the block dialog boxes and regenerating the code from the model. A workaround is:

- 1** Create your own versions of the blocks using the Simscape language.
- 2** Make the parameters that you want to tune into signal inputs by defining the input values as Simulink Constant blocks.
- 3** Convert these Simulink constant signals into physical signals with Simulink-PS Converter blocks.
- 4** Tune the Constant block values during the simulation.

## **Working with Version 1 Models and Libraries**

**Compatibility Considerations: Yes**

### **Compatibility Considerations**

Block diagrams built from Version 1 and block diagrams built from Version 2 can coexist in the same model or library. You can indirectly connect Version 1 block diagrams and Version 2 block diagrams using Version 1 Rotational Coupling interface blocks. You cannot connect them directly.

You can continue to create and use Version 1 models and libraries, separately from Version 2 models and libraries.

### **Converting Models and Libraries from Version 1 to Version 2**

Optionally, you can convert models and user-defined libraries from Version 1 to Version 2 with a model conversion utility, accessed through the `sd1_update` function. This utility creates new models and user-defined libraries with Version 1 components replaced by new versions using a transitional library that is based on the SimDriveline 2 and Simscape libraries.

For more information on conversion, see the `sd1_update` function reference page and Relationship of Version 1 and Version 2.

## Accessing Version 1

The Version 1 library and documentation are included with Version 2.

### Accessing the Version 1 Library

To open the Version 1 library, at the command line, enter `drivelib` or `driveline`.

### Accessing the Version 1 Examples

To view a list of the Version 1 example models, do one of the following:

- In the Help browser, on the Version 1 SimDriveline product roadmap page, click the product examples link.
- At the command line, enter `help drivedemos`.

If you use the command line, the examples list appears at the command line. If you click a linked individual example model name, information about that model appears at the command line.

### Accessing the Version 1 Documentation

To access the Version 1 documentation, access the online version of the Version 2 release notes through the Help browser or at the MathWorks Web site, [www.mathworks.com](http://www.mathworks.com).